

# **Product Data Sheet**

# FC4-CO-1000 Electrochemical CO Sensor

#### FC4-CO-1000 Electrochemical CO Sensor



## **Key Features & Benefits**

- \*0 Power Consumption
- \*High Precision
- \* High sensitivity
- \*Wide Linear Range
- \*Excellent Repeatability and Stability

#### **Applications**

Energy, Electric Power, Petrochemical, Environmental Protection, Mining, Agriculture, Smart Home, etc.

# **Technical Specification**

#### **MEASUREMENT**

PrincipleMicro fuel cellRange0-1000ppmMaximum Overload2000ppm

 Sensitivity
 1±0.5 (nA/ppm)

 Response Time (T90)
 <30 seconds</td>

 Baseline Offset (20°C)
 ±5 ppm

 Zero Drift (-20°C-40°C)
 ±10 ppm

 Repeatability
 2% of signal

 Output Signal
 Linear

**Long Term Output Drift** <3% signal/year

#### **ENVIRONMENTAL**

Working Temperature Range  $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Working Pressure Range  $90 \sim 110 \text{ kPa}$ 

Working Humidity Range 10% – 90% (not condensing)

#### LIFETIME

**Expected Operating Life** 5 years in air **Warranty** 24 months

#### PHYSICAL CHARACTERISTICS


Weight 7 g
Orientation Sensitivity None

# **Product Dimension**


Α



В



C



Notes: 1 All dimensions in mm

2 All tolerances ±0.15mm
unless otherwise stated.

### FC4-CO-1000 Electrochemical CO Sensor


#### **Cross-Sensitivity Data**

**Notes:** 1. All performance data is based on condition at 20°C, 50%RH & 1013mbar.For sensor performance data under other conditions, please contact us.

2. Connection should be made via PCB sockets only. Soldering to the pins will seriously damage the sensor

Gas	Concentration Used (ppm)	FC4-CO-1000 (ppm CO)
H2	100	30
H2S	50	<3

# **Recommend Circuit**



#### **Precautions:**

- 1 .The sensor should be prevented from organic solvents or corrosive gases
- 2 .The sensor should not be stored in dusty, dirty areas and anaerobic environment
- 3. The sensor must not be exposed to very high concentration of the analyte permanantly
- 4 .Excessive shock or vibration should be prevented to avoid internal damage
- 5. The pins should not be broken or bent



ProSense Technologies Co,.Ltd

Add: Building 4,LianJian S&T Park, Longhua District, Shenzhen, China

Tel:+86-755-36690079 http://www.szprosense.com

E-mail: sales@szprosense.com